

AD-A080 987

NEW YORK UNIV NY DEPT OF APPLIED SCIENCE

F/G 20/4

A TWO DIMENSIONAL COMPRESSIBLE, NONLINEAR STABILITY ANALYSIS WI--ETC(U)

UNCLASSIFIED

OCT 79 G MILLER, A CALLEGARI

N00014-76-C-0183

NL

OF  
AD  
A080987




END  
DATE  
FILMED  
3-80  
DDC



**LEVEL**

**II** (12) SK

AD A 080987



DDC FILE COPY



DDC  
REFMIE  
FEB 20 1980  
RECEIVED  
A

**NEW YORK UNIVERSITY**  
**FACULTY OF ARTS AND SCIENCE**  
**DEPARTMENT OF APPLIED SCIENCE**

DISTRIBUTION STATEMENT A  
Approved for public release  
Distribution Unlimited

80 2 19 041

A TWO-DIMENSIONAL COMPRESSIBLE, NONLINEAR  
STABILITY ANALYSIS WITH APPLICATIONS TO  
THE STUDY OF BOUNDARY LAYER TRANSITION


Gabriel Miller & Andrew Callegari

NYU/DAS 79-16

OCTOBER 1979

FINAL REPORT

DEPARTMENT OF THE NAVY\*  
OFFICE OF NAVAL RESEARCH



---

\* Contract No. N00014-76-C-0183

NEW YORK UNIVERSITY  
FACULTY OF ARTS AND SCIENCE  
DEPARTMENT OF APPLIED SCIENCE



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
6. TITLE (and Subtitle) A TWO DIMENSIONAL COMPRESSIBLE, NONLINEAR STABILITY ANALYSIS WITH APPLICATIONS TO THE STUDY OF BOUNDARY LAYER TRANSITION		5. TYPE OF REPORT & PERIOD COVERED 9/15/77 - 5/15/78
7. AUTHOR(s) 10. GABRIEL MILLER AND ANDREW CALLEGARI		8. PERFORMING ORG. REPORT NUMBER 14. NYU/DAS-79/16
9. PERFORMING ORGANIZATION NAME AND ADDRESS NEW YORK UNIVERSITY/DEPARTMENT OF APPLIED SCIENCE 26-36 STUYVESANT STREET (BARNEY BUILDING) NEW YORK, NEW YORK 10003		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 061 232
11. CONTROLLING OFFICE NAME AND ADDRESS OFFICE OF NAVAL RESEARCH/DEPARTMENT OF THE NAVY (CODE430B) 800 N. QUINCY ST., ARLINGTON, VA. 22217		12. REPORT DATE September 1979
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 12. 34		13. NUMBER OF PAGES 25 + 4
		15. SECURITY CLASS. (of this report) N/A
16. DISTRIBUTION STATEMENT (of this Report) APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED 9. Final rept. 15 Sep 77-15 May 78,		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) N/A 11. Oct 79		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) ACOUSTICAL DISTURBANCES BOUNDARY LAYER TRANSITION STABILITY		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A computer program which can investigate the nonlinear response of a compressible boundary layer on a flat plate to any imposed external disturbance has been produced. The program first computes the boundary condition near the leading edge utilizing linear stability theory and then determines the disturbance field downstream as a function of time, utilizing the Mac-Cormack time splitting explicit technique. The program originally created to provide a fundamental understanding		

DD FORM 1473, EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

409964

506

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

of boundary layer response to acoustical disturbances has been modified so that a wide range of parameters can be varied. The effects of Mach number and wall conditions can be computed utilizing the program.

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## ACKNOWLEDGEMENT

This technical report is a final report of work performed under Contract N00014-76-C-0183 from 15 September 1977 through 15 May 1978. The program was sponsored by the Office of Naval Research. The authors wish to thank Mr. Morton Cooper for his continuous support during the three years of the investigation.

[illegible]

TABLE OF CONTENTS

I.	INTRODUCTION	1
II.	METHOD OF ANALYSIS	3
	A. Equations of Motion	3
	B. Initial and Boundary Conditions	5
III.	RESULTS UTILIZING PROGRAM	11
IV.	PROGRAM CAPABILITIES	13
	REFERENCES	14
	FIGURE	16 -17
	DISTRIBUTION	18 -25



A TWO-DIMENSIONAL COMPRESSIBLE, NONLINEAR  
STABILITY ANALYSIS WITH APPLICATIONS TO  
THE STUDY OF BOUNDARY LAYER TRANSITION

I. INTRODUCTION

Recent analytical efforts to gain a more comprehensive understanding of boundary layer stability have centered on (1) the coupling between the principle linear wave (the Tollmien-Schlichting wave) and its principle harmonics (for example, [1]) and (2) on the development of computer codes to study the nonlinear effects of disturbances propagating through an incompressible boundary layer field (for example, Refs. 2, 3, 4). Such investigations extended the earlier incompressible and compressible linear stability analyses (for example, Refs. 5-9) which analyzed the linear stability problem both from spacial and temporal growth processes.

The recent efforts have been motivated by analysis<sup>10</sup> and experiments<sup>11,12,13</sup> which indicated that the process of disturbance growth and instability leading to transition could be subdivided into distinct regions, where first linear, and then nonlinear and three dimensional effects predominate.

Two dimensional nonlinear codes can thus be extremely important tools if one is to properly stimulate the three dimensional bursting phenomenon of transition to turbulence, since such codes can provide the initial conditions for such analysis (similar to the effect of the linear codes which provide the initial conditions for the nonlinear analyses).

While the nonlinear codes available represent a significant advance in computational capability, they have thus far been restricted to incompressible flow calculations. Such programs are unable to analyze the effects of

Mach number, wall temperature, imposed disturbance propagation velocity, etc.

Experiments<sup>14, 15</sup> have indicated that imposed acoustical disturbances effect transition in a low speed flow in a manner similar to free stream turbulence, even though the propagation velocity of the disturbances are as much as two orders of magnitude greater. The frequency range which effects transition at a given Reynolds number is similar to the range associated with freestream turbulence, even though there is a mismatch in freestream propagation velocity (and thus in freestream wave number).

The purpose of the study at New York University for the past three years was to ascertain the mechanisms which cause acoustical disturbances to effect transition in this manner and to develop a computer code which includes both nonlinear effects and the effects of compressibility. The unsteady, two-dimensional, compressible second order boundary layer equations (retaining terms of the order of the reciprocal of Reynolds number squared) have been computed numerically<sup>16</sup>. The system, consistent with the Navier Stokes equations, have been solved by MacCormack explicit scheme with time splitting<sup>17</sup>. In Section II the equations utilized and the method of analysis is developed. Results utilizing the program are presented in Section III. A description of the program's capabilities can be found in Section IV.



## II. METHOD OF ANALYSIS

### A. Equations of Motion

The equations of motion, the unsteady, compressible Navier Stokes equations, were written in terms of the nondimensional parameters consistent with the boundary layer equations (but terms of order of the reciprocal of the Reynolds number squared were retained). The equations were transformed by a stretching parameter  $\eta$  which packs most points in the boundary layer but allows for a significant distribution of data in the freestream. The stretching utilized was;

$$\eta = 1 - \exp(-\alpha \bar{y} / \delta^*)$$

where  $\delta^* = \frac{\delta_0^*}{L} \sqrt{Re_L}$ ,  $\bar{y} = \frac{y}{L} \sqrt{Re_L}$ , and  $\delta_0^*(x)$  is the initial boundary layer thickness distribution (the distribution prior to the initiation of perturbed flow).  $Re_L$  is the freestream Reynolds number based on characteristic length  $L$  (for example, plate length).

The resulting equation system<sup>16</sup>, are rewritten here:

$$\frac{\partial \bar{\rho}}{\partial \bar{t}} + \frac{\partial}{\partial \bar{x}} (\bar{\rho} \bar{u}) + \frac{\partial}{\partial \eta} (\bar{\rho} \bar{u}) \frac{\partial \eta}{\partial \bar{x}} + (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial \bar{\rho} \bar{v}}{\partial \eta} = 0 \quad (1)$$

$$\begin{aligned} & \frac{\partial}{\partial \bar{t}} (\bar{\rho} \bar{u}) + \frac{\partial}{\partial \bar{x}} (\bar{\rho} \bar{u}^2 + \bar{p}) + \frac{\partial}{\partial \eta} (\bar{\rho} \bar{u}^2 + \bar{p}) \frac{\partial \eta}{\partial \bar{x}} + (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial}{\partial \eta} (\bar{\rho} \bar{u} \bar{v}) \\ &= \frac{\alpha^2 (1 - \eta)}{\delta^{*2}} \frac{\partial}{\partial \eta} [\bar{\mu} (1 - \eta) \frac{\partial \bar{u}}{\partial \eta}] + \phi_s \end{aligned} \quad (2)$$

$$\begin{aligned} & \frac{\partial}{\partial \bar{t}} (\bar{\rho} \bar{v}) + \frac{\partial}{\partial \bar{x}} (\bar{\rho} \bar{u} \bar{v}) + \frac{\partial}{\partial \eta} (\bar{\rho} \bar{u} \bar{v}) \frac{\partial \eta}{\partial \bar{x}} - (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial}{\partial \eta} (\bar{\rho} \bar{v}^2 + \bar{p} Re_L) \\ &= \frac{4}{3} \frac{\alpha^2}{\delta^{*2}} (1 - \eta) \frac{\partial}{\partial \eta} [\bar{\mu} (1 - \eta) \frac{\partial \bar{v}}{\partial \eta}] - \frac{2}{3} (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial}{\partial \eta} [\bar{\mu} \frac{\partial \bar{u}}{\partial \bar{x}} + \bar{\mu} \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{u}}{\partial \eta}] \\ &+ \frac{\partial}{\partial \bar{x}} [\bar{\mu} (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial \bar{u}}{\partial \eta}] + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial}{\partial \eta} [\bar{\mu} (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial \bar{u}}{\partial \eta}] + \phi_s \end{aligned} \quad (3)$$

$$\frac{\partial}{\partial \bar{t}} (\bar{\rho} \bar{E}) + \frac{\partial}{\partial \bar{x}} (\bar{\rho} \bar{u} \bar{H}) + \frac{\partial}{\partial \eta} (\bar{\rho} \bar{u} \bar{H}) \frac{\partial \eta}{\partial \bar{x}} + (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial}{\partial \eta} (\bar{\rho} \bar{u} \bar{H}) \quad (4)$$

$$\begin{aligned} &= \frac{\alpha^2 (1 - \eta)}{\delta^{*2}} \frac{\partial}{\partial \eta} [\bar{\mu} (1 - \eta) \frac{\partial \bar{H}}{\partial \eta}] + \phi_s \\ &\bar{p} = \bar{\rho} \bar{T} \end{aligned} \quad (5)$$

where

$$\bar{x} = \frac{x}{L}; \quad \bar{y} = \frac{y}{L} \cdot \sqrt{Re_L}; \quad \bar{t} = t \frac{u_\infty}{L}$$

$$\bar{u} = \frac{u}{u_\infty}; \quad \bar{v} = \frac{v}{u_\infty} \cdot \sqrt{Re_L}; \quad \bar{p} = \frac{P}{\rho_\infty u_\infty^2}; \quad \bar{\rho} = \frac{\rho}{\rho_\infty}$$

$$\bar{H} = \frac{H}{u_\infty^2} = \frac{C_p T}{u_\infty^2} + \frac{u^2 + v^2}{2u_\infty^2}; \quad \bar{E} = \frac{E}{u_\infty^2} = \frac{C_v T}{u_\infty^2} + \frac{u^2 + v^2}{2u_\infty^2}$$

$$\bar{\mu} = \frac{\mu}{\mu_\infty} = \frac{T_\infty + 198.6}{T + 198.6} \left( \frac{T}{T_\infty} \right)^{3/2}; \quad \bar{T} = \frac{RT}{u_\infty^2} \quad Re_L = \frac{\rho_\infty u_\infty L}{\mu_\infty}$$

and

$$\begin{aligned} \phi_4 = & \frac{1}{Re_L} \left\{ \frac{4}{3} \frac{\partial}{\partial \bar{x}} \left( \bar{\mu} \frac{\partial \bar{u}}{\partial \bar{x}} - \frac{2}{3} \frac{\alpha}{\delta^*} \frac{\partial}{\partial \bar{x}} [\bar{\mu} (1 - \eta) \frac{\partial \bar{v}}{\partial \eta}] \right) \right. \\ & + \frac{4}{3} \frac{\partial \eta}{\partial \bar{x}} \frac{\partial}{\partial \eta} \left( \bar{\mu} \frac{\partial \bar{u}}{\partial \bar{x}} \right) - \frac{2}{3} \frac{\alpha}{\delta^*} \frac{\partial \eta}{\partial \bar{x}} \frac{\partial}{\partial \eta} [\bar{\mu} (1 - \eta) \frac{\partial \bar{v}}{\partial \eta}] \\ & + (1 - \eta) \frac{\alpha}{\delta^*} \frac{\partial}{\partial \eta} \left( \bar{\mu} \frac{\partial \bar{v}}{\partial \bar{x}} \right) \\ & + \frac{4}{3} \frac{\partial}{\partial \bar{x}} \left( \bar{\mu} \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{u}}{\partial \eta} \right) + \frac{4}{3} \frac{\partial \eta}{\partial \bar{x}} \frac{\partial}{\partial \eta} \left( \bar{\mu} \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{u}}{\partial \eta} \right) \\ & \left. + \frac{\alpha}{\delta^*} (1 - \eta) \frac{\partial}{\partial \eta} \left( \bar{\mu} \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{v}}{\partial \eta} \right) \right\} \end{aligned}$$

$$\begin{aligned} \phi_5 = & \frac{1}{Re_L} \left[ \frac{\partial}{\partial \bar{x}} \left( \bar{\mu} \frac{\partial \bar{v}}{\partial \bar{x}} \right) + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial}{\partial \eta} \left( \bar{\mu} \frac{\partial \bar{v}}{\partial \bar{x}} \right) \right. \\ & \left. + \frac{\partial}{\partial \bar{x}} \left( \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{v}}{\partial \eta} \right) + \left( \frac{\partial \eta}{\partial \bar{x}} \right) \frac{\partial}{\partial \eta} \left( \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{v}}{\partial \eta} \right) \right] \end{aligned}$$

$$\begin{aligned} \phi_6 = & \frac{1}{Re_L} \left\{ \left[ \frac{\partial}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial}{\partial \eta} \right] \left[ \bar{\mu} \frac{\partial \bar{H}}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{H}}{\partial \eta} \right] \right. \\ & + \frac{1}{3} \bar{\mu} \left( \frac{\partial \bar{u}}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{u}}{\partial \eta} \right)^2 + \frac{1}{3} \bar{\mu} \left( \frac{\partial \bar{v}}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{v}}{\partial \eta} \right)^2 \\ & - \frac{2}{3} \frac{\alpha(1 - \eta)}{\delta^*} \bar{\mu} \left( \frac{\partial \bar{u}}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{u}}{\partial \eta} \right) \frac{\partial \bar{v}}{\partial \eta} \\ & + \frac{2 \alpha(1 - \eta)}{\delta^*} \bar{\mu} \left( \frac{\partial \bar{v}}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{v}}{\partial \eta} \right) \frac{\partial \bar{u}}{\partial \eta} \\ & \left. - \frac{1}{2} \left( \frac{\partial \bar{u}}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial \bar{u}}{\partial \eta} \right) \left( \frac{\partial (\bar{u}^2)}{\partial \bar{x}} + \frac{\partial \eta}{\partial \bar{x}} \frac{\partial (\bar{u}^2)}{\partial \eta} \right) \right\} \end{aligned}$$

Equations (1) - (4) have been solved by a MacCormack predictor-corrector explicit scheme with time splitting<sup>(17)</sup>. At  $t = 0$ , a disturbance field, calculated utilizing linear stability theory (see below), is initiated near the leading edge of a plate. The time dependent flowfield is then calculated numerically from the unsteady, compressible equations, consistent with the imposed initial and boundary conditions.

#### B. Initial and Boundary Conditions

The investigation has centered on a study of the amplification or damping of acoustical disturbances propagated into a boundary layer. The experiments of Spangler and Wells<sup>14</sup> who utilized an air-driven, rotating vane sound generator to create the disturbance without producing any appreciable turbulence, were simulated. Both the frequency and the intensity of the sound source had been varied experimentally. In the experiments, a low velocity boundary layer channel was run at a unit Reynolds number of  $2.4 \times 10^5/\text{ft.}$ , the channel wall representing the flat plate. Measurements of transition occurred at distances on the order of 10 - 20 feet, and thus the length Reynolds numbers of interest were in the  $10^6$  to  $10^7$  range.

In order to model this problems, a set of initial and boundary conditions must be established, consistent with the propagation of acoustical disturbances and at the same time consistent with the set of differential equations utilized. The initial data, consistent with equations (1) through (5) under steady state conditions, was originally established utilizing numerical techniques for subsonic boundary layer analysis with normal pressure gradients established by the principal investigator and reported previously.<sup>16</sup> Thus the solution  $\bar{t} = 0$  was the solution of the two dimensional steady boundary layer equations with normal momentum equation included.

Consistent with Refs. 2 and 3 similar solutions for the initial profiles were studied. Since no problems were encountered, the final program now utilizes such solutions for the initial field.

At the wall ( $\eta = 0$ ), for a rigid body, one can neglect the effect of the wave on temperature, and for an adiabatic wall one can establish the following relations;

at  $\eta = 0$  ( $\bar{x} > \bar{x}^*$ )

$$\bar{u} = \bar{v} \quad \frac{\partial \bar{T}}{\partial \eta} = 0$$

$$\frac{\partial}{\partial \eta} (\ln \bar{p}) = \frac{\partial}{\partial \eta} [(\ln \bar{p})]_{\bar{t}} = 0 \quad \exp[-Re_L \int_0^{\bar{t}} \frac{\bar{p}}{\bar{u}} dt]$$

$$\frac{\partial}{\partial \eta} (\ln \bar{p}) = \frac{\partial}{\partial \eta} [(\ln \bar{p})]_{\bar{t}} = 0 \quad \exp[-Re_L \int_0^{\bar{t}} \frac{\bar{p}}{\bar{u}} dt]$$

The outer boundary condition ( $\eta \rightarrow 1$ ) is established by allowing the wave to travel as a plane wave of arbitrary speed (for the acoustic wave, the speed of sound  $C_\infty$ ).

Much effort was expended on the determination of a proper downstream boundary condition. It was found, consistent with the results of Fasel<sup>2</sup>, that the boundary condition that yields the least upstream influence, and is thus superior to other possible ones (including a non-reflective condition) is:

$$\partial^2 \frac{\bar{u}'(\bar{x}_f, \bar{y}, \bar{t})}{\partial \bar{x}^2} = \bar{\alpha}^2 \bar{u}'$$

where  $\bar{\alpha} = fL/V_{ph}$  ( $f$  is the frequency and  $V_{ph}$  the phase velocity),  $\bar{u}'$  is the perturbation quantity ( $\bar{u} - \bar{u}_0$ ), and  $\bar{x}_f$  is the downstream boundary. This condition says that at the downstream boundary, the disturbance has a periodic form. At  $\bar{t} = 0$ , a disturbance is initiated



at  $\bar{x} \approx 0$  so that the velocity field at  $x = \bar{x}^* \approx 0$  and  $\bar{t} \geq 0$  can be written as

$$\bar{u}(\bar{x}^*, \bar{y}, \bar{t}) = \bar{u}_0(\bar{x}^*, \bar{y}) + f_1(\bar{y}) \sin(\bar{\omega}\bar{t})$$

where  $\bar{u}_0(\bar{x}^*, \bar{y})$  is the velocity profile at  $\bar{t} = 0$ ,  $\bar{\omega} = 2\pi fL/U_\infty$  ( $f$  being the frequency of the imposed disturbance, in cycles per second) and  $f_1(\bar{y})$  is the disturbance profile near the leading edge.

The form of  $f_1(\bar{y})$  can in general be prescribed and then the eigenfunction associated with the eigenvalue problem detailed below can be superposed to reconstruct  $f_1(\bar{y})$ . The complete determination of these eigenfunctions is quite complicated in general depending on the initial boundary layer flow, and leads to a significant numerical problem in linear stability theory. Such complications as the existence of a continuous spectrum of eigenvalues, the presence of a singularity in the linearized eigenvalue problem, and the existence of viscous-type eigenstates which behave singularly in the inviscid limit. [Refs. 18-20] are indicative of studies of such problems.

The other boundary conditions at  $x = x^*$  are consistent with linear theory and are to be determined once the form of  $f_1(\bar{y})$  is known.

In order to derive appropriate perturbation profiles for use as the initial boundary condition in our program (at  $\bar{x} = \bar{x}^*$ ) the compressible analogue of the Orr-Sommerfeld equations must be solved. For purposes of the present study, we have only considered these equations in the inviscid limit and under the additional assumption of no temperature gradient in the mean flow.

Thus, nondimensionalizing all lengths by the boundary layer thickness  $\delta$  at a suitable station along the plate, all velocities by the free stream speed of sound, and the pressure by  $\rho_\infty c_\infty^2$ , the linearized perturbation system considered is;

$$i(ku_0 - \omega)\rho + ik\rho_0 + \frac{d}{dy}(\rho_0 V) = 0 \quad (6)$$

$$i(ku_0 - \omega)u + u'_0 V + \frac{ik}{\rho_0} p = 0 \quad (7)$$

$$i(ku_0 - \omega)V + \frac{1}{\rho_0} \frac{dp}{dy} = 0 \quad (8)$$

$$i(ku_0 - \omega)T + T'_0 V = i\left(\frac{\gamma - 1}{\rho_0}\right)(ku_0 - \omega)p \quad (9)$$

$$p/p_0 = \rho/\rho_0 + T/T_0 \quad (10)$$

where bars have been dropped and subscript zero refers to the profile at  $t = 0$ . The appropriate boundary conditions are discussed below. As is customary the normal mode type decomposition has been used, and hence we note that  $\rho, u, V, p, T$  are functions of  $y$ , the distance normal to the plate. The parameters  $\omega$  and  $k$ , the dimensionless frequency and wave number respectively are given by

$$\omega = \Omega\delta/c_\infty, \quad k = \bar{k}\delta$$

where  $\Omega$  and  $\bar{k}$  are dimensional quantities. The mean flow quantities

$$u_0 = M_\infty u_B \quad \text{and} \quad u'_0 = 5.6 \left(M_\infty \frac{du_B}{d\eta}\right)$$

are the dimensionless velocity and velocity gradient respectively where  $M_B$  is the freestream Mach number,  $u_B$  is the dimensionless (with respect to  $U_\infty$ ) Blasius profile and the factor 5.6 results from changing the normal coordinate from  $\eta$  to  $y$ .

Several simplifications can be made in equations (6-10). We have solved for  $\rho, u, v$  and  $T$  in terms of the pressure  $p$  and find that  $p$  must satisfy the second order equation

$$p'' - \frac{2ku'_0}{u_0 k - \omega} p' + \left[ \frac{(u_0 k - \omega)^2}{T_0} - k^2 \right] p = 0 \quad (11)$$



we note that the second condition is a normalization condition.

Equations (11) - (12) now provide an eigenvalue problem for the eigenvalue  $k$ . Once the possible values of  $k$  are determined, the profiles  $\bar{x} = \bar{x}^*$  (i.e. the  $f_1(\bar{y})$ ) can be determined and thus the initial and boundary conditions for the calculation are entirely prescribed. To treat this eigenvalue problem a program developed by Mack Ref. (23) has been used. The program has the capability of treating cases where the phase velocity of the disturbance equals the base flow velocity (critical layer) by deformation of the integration contour into the complex plane.

### III. RESULTS UTILIZING PROGRAM

The nonlinear computer program for the solution of equations (1) - (4) was first run for cases corresponding to the Reynolds number and frequency range of the experiments of Reference 14. Figure (1) presents the results of three such computations for the forced response of the boundary layer to acoustic waves of different frequencies at a freestream R.M.S. level of .3%. The results are in line with Tollmien Schlichting amplification rates.

An investigation was initiated to determine what the propagation speed inside the boundary layer was. In all cases, while the disturbances were propagating with the speed of sound along the freestream, the waves within the boundary layer were propagating at a speed of the order of the freestream speed, and thus indeed, the waves are the classical Tollmien Schlichting waves. Such a result is presented in Figure 2.

What is essentially occurring is that the wave propagating along the outer edge has little effect on the boundary layer development. Instead, the major effect is the profile at the leading edge, and thus, the effect of the acoustic wave is only to set up the initial disturbance field (i.e., near  $x = 0$ ), as described previously. The effect of acoustic waves on transition is, thus similar to the effect of other imposed perturbations such as freestream turbulence.

Another numerical experiment was initiated to test this result. The program has the capability to admit freestream disturbances of any speed. Waves were propagated at the freestream velocity, instead of at the acoustic speed, and all other parameters were held constant. The dashed line in Figure 2 indicates that the effect on the boundary layer ( $y/\delta < 1$ ) is insignificant, and the outer boundary condition only effects the flow-field through its amplitude.

The boundary layer response to an imposed disturbance is thus determined completely once the initial profile (from linear stability theory), is found through a complete eigen-value search. Nonlinear programs should therefore be coupled to linear stability programs which determine the linear (upstream boundary condition) profiles deduced from the multitude of eigen values which have been found to exist.

#### IV. PROGRAM CAPABILITIES

A computer program which can investigate the nonlinear response of a compressible boundary layer on a flat plate to any imposed external disturbance has been produced. The program first computes the boundary condition near the leading edge utilizing linear stability theory and then determines the disturbance field downstream as a function of time, utilizing the MacCormack time splitting explicit technique.

The program originally created to provide a fundamental understanding of boundary layer response to acoustical disturbances has been modified so that a wide range of parameters can be varied. The effects of Mach number and wall conditions can be computed utilizing the program.




## REFERENCES

1. Nayfeh, A.H. and Bozatli, A.W., "Secondary Instability in Boundary Layer Flows," V.P.I. -E-78-19, August 1978.
2. Fasel, H., "Investigation of the Stability of Boundary Layers by a Finite Difference Model of the Navier Stokes Equations," Journal of Fluid Mechanics, Vol. 78, Part 2, 1976.
3. Murdock, J.W., "A Numerical Study of Nonlinear Effects on Boundary Layer Stability," A.I.A.A. paper 77-127, January 1977.
4. Orszag, S.A. and Israeli, M., "Numerical Simulation of Viscous Incompressible Flows," Annual Review of Fluid Mechanics, Vol. 6, 1974.
5. Smith, A.M.O. and Gamberoni, N., "Transition, Pressure Gradient and Stability Theory," Douglas Aircraft Report ES-26388, 1956.
6. Mack, L.M., "Computation of the Stability of the Laminar Compressible Boundary Layer," Methods in Computational Physics, Vol. 4, B. Alder, ed., Academic Press, 1965.
7. Wazzan, A.R., Okamura, T.T. and Smith, A.M.O., "Space and Temporal Stability Charts," Douglas Aircraft Report DAC-67086, 1968.
8. Jordinson, R., "The Flat Plate Boundary Layer, Part 1, Numerical Integration of the Orr-Sommerfeld Equation," Journal of Fluid Mechanics, Vol. 43, Part 4, 1970.
9. Saric, W.S. and Nafeh, A.H., "Nonparallel Stability of Boundary Layer Flows," Journal of Physics of Fluids, Vol. 18, No. 8, August 1975.
10. Stuart, J.T., "Hydrodynamic Stability," Applied Mechanics Review, Vol. 18, 1965.
11. Kachanov, I.S., Kozlov, V.V. and Levchenko, V., "Mechanics of Liquids and Gases," (in Russian), 3, 4 (1977).
12. Veasov, E.V., Ginevsky, A.S. and Kravosov, R.K., in Turbulent Flows (Nauka, Moscow, 1977, Ed. V.V. Struminski, in Russian), p. 90.
13. Klebanoff, P.S., Tidstrom, K.D., and Sargent, L.M., Journal of Fluid Mechanics, 12, 1, (1962)
14. Spangler, J.G. and Wells, C.S., "Effects of Freestream Disturbances On Boundary Layer Transition", Journal of the American Institute of Aeronautics and Astronautics, Vol. 6, No. 4, 1968.

15. Shapiro, P.J., "The Influence of Sound Upon Laminar Boundary Layer Stability", M.I.T. Report No. 83458-83560-1, September 1977.
16. Miller, G. and Callegar, A., "The Effects of Acoustical Disturbances on Boundary Layer Transition," New York University/Department of Applied Science Report - NYU/DAS 78-01, January 1978.
17. McCormack, R.W., "Numerical Solution of the Interaction of a Shock Wave With a Laminar Boundary Layer," Lecture Notes in Physics, Vol. 8, Springer Verlag, 1971.
18. Corner, D., D.J.R., Houston and Ross, M.A.S., "Higher Eigenstates in Boundary Layer Stability Theory", Journal Fluid Mechanics, (1976) 77 Part 1, pp. 81-103.
19. Mack, L.M., "A Numerical Study of the Temporal Eigenvalue Spectra of the Blasius Boundary Layer," J. Fluid Mechanics, (1976) 73 Part 3, pp. 497-520.
20. Antar, B.N. and Benek, J.A. "Temporal Eigenvalue Spectrum of the Orr-Sommerfeld Equation for the Blasius Boundary Layer," Physics of Fluids, 21 (2) February 1978, pp. 183-189.
21. Pridmore-Brown, D.C., "Sound Propagation in A Fluid Flowing Through an Attenuating Duct,"
22. Scott, J.N., "Propagation of Sound Waves Through a Linear Slow Layer," AIAA Journal, 17, 3, March 1979, pp. 237-244.
23. Mack, L.N. "Computation of the Stability of the Laminar Compressible Boundary Layer", Methods of Computational Physics, Vol. 4, 1965. Academic Press





$x = 12 \text{ ft.}, \eta = .3, \Delta \bar{t} = 5 \times 10^{-4}, Re/ft = 2.42 \times 10^5, \bar{u}'_{RMS} = .003$

FIGURE 1. FREQUENCY DEPENDENCE ON DAMPING OR AMPLIFICATION OF ACOUSTICAL DISTURBANCE




FIGURE 2. PHASE SPEED OF WAVES INSIDE BOUNDARY LAYER UNDER THE INFLUENCE OF ACOUSTICAL DISTURBANCE (DASHED LINE INDICATES PHASE SPEED WHEN FREESTREAM WAVE PROPAGATES AT  $U_\infty$ )

DISTRIBUTION LIST FOR UNCLASSIFIED  
TECHNICAL REPORTS AND REPRINTS ISSUED UNDER  
CONTRACT N00014-76-C-0183 TASK NR 061-232

All addresses receive one copy unless otherwise specified

Technical Library  
Building 313  
Ballistic Research Laboratories  
Aberdeen Proving Ground, MD 21005

Dr. F. D. Bennett  
External Ballistic Laboratory  
Ballistic Research Laboratories  
Aberdeen Proving Ground, MD 21005

Mr. C. C. Hudson  
Sandia Corporation  
Sandia Base  
Albuquerque, NM 81115

Professor P. J. Roache  
Ecodynamics Research  
Associates, Inc.  
P. O. Box 8172  
Albuquerque, NM 87108

Dr. J. D. Shreve, Jr.  
Sandia Corporation  
Sandia Base  
Albuquerque, NM 81115

Defense Documentation Center  
Cameron Station, Building 5  
Alexandria, VA 22314

12 Copies

Library  
Naval Academy  
Annapolis, MD 21402

Dr. G. H. Heilmeier  
Director, Defense Advanced  
Research Projects Agency  
1400 Wilson Boulevard  
Arlington, VA 22209

Mr. R. A. Moore  
Deputy Director, Tactical  
Technology Office  
Defense Advanced Research Projects  
Agency  
1400 Wilson Boulevard  
Arlington, VA 22209

Office of Naval Research  
Code 411  
Arlington, VA 22217

Office of Naval Research  
Code 421  
Arlington, VA 22217

Office of Naval Research  
Code 438  
Arlington, VA 22217

Office of Naval Research  
Code 1021P (ONRL)  
Arlington, VA 22217 6 Copies

Dr. J. L. Potter  
Deputy Director, Technology  
von Karman Gas Dynamics Facility  
Arnold Air Force Station, TN 37389

Professor J. C. Wu  
Georgia Institute of Technology  
School of Aerospace Engineering  
Atlanta, GA 30332

Library  
Aerojet-General Corporation  
6352 North Irwindale Avenue  
Azusa, CA 91702

NASA Scientific and Technical  
Information Facility  
P. O. Box 8757  
Baltimore/Washington International Airport  
Maryland 21240

Dr. S. A. Berger  
University of California  
Department of Mechanical Engineering  
Berkeley, CA 94720

Professor A. J. Chorin  
University of California  
Department of Mathematics  
Berkeley, CA 94720

Professor M. Holt  
University of California  
Department of Mechanical Engineering  
Berkeley, CA 94720

Dr. L. Talbot  
University of California  
Department of Mechanical Engineering  
Berkeley, CA 94720

Dr. H. R. Chaplin  
Code 16  
David W. Taylor Naval Ship Research  
and Development Center  
Bethesda, MD 20084

Code 1800  
David W. Taylor Naval Ship Research  
and Development Center  
Bethesda, MD 20084

Code 5643  
David W. Taylor Naval Ship Research  
and Development Center  
Bethesda, MD 20084

Dr. G. R. Inger  
Virginia Polytechnic Institute  
and State University  
Department of Aerospace Engineering  
Blacksburg, VA 24061

Professor A. H. Nayfeh  
Virginia Polytechnic Institute  
and State University  
Department of Engineering Science  
and Mechanics  
Blacksburg, VA 24061

Indiana University  
School of Applied Mathematics  
Bloomington, IN 47401

Director  
Office of Naval Research Branch Office  
495 Summer Street  
Boston, MA 02210

Supervisor, Technical Library Section  
Thiokol Chemical Corporation  
Wasatch Division  
Brigham City, UT 84302

Dr. G. Hall  
State University of New York at Buffalo  
Faculty of Engineering and  
Applied Science  
Fluid and Thermal Sciences Laboratory  
Buffalo, NY 14214

Mr. R. J. Vidal  
Calspan Corporation  
Aerodynamics Research Department  
P. O. Box 235  
Buffalo, NY 14221

Professor R. F. Probst  
Massachusetts Institute of Technology  
Department of Mechanical Engineering  
Cambridge, MA 02139

Director  
Office of Naval Research Branch Office  
536 South Clark Street  
Chicago, IL 60605

Code 753  
Naval Weapons Center  
China Lake, CA 93555

Mr. J. Marshall  
Code 4063  
Naval Weapons Center  
China Lake, CA 93555

Professor R. T. Davis  
University of Cincinnati  
Department of Aerospace Engineering  
and Applied Mechanics  
Cincinnati, OH 45221

Library MS 60-3  
NASA Lewis Research Center  
21000 Brookpark Road  
Cleveland, OH 44135

Dr. J. D. Anderson, Jr.  
Chairman, Department of Aerospace  
Engineering  
College of Engineering  
University of Maryland  
College Park, MD 20742



Professor W. L. Melnik  
University of Maryland  
Department of Aerospace Engineering  
Glenn L. Martin Institute of Technology  
College Park, MD 20742

Professor O. Burggraf  
Ohio State University  
Department of Aeronautical and  
Astronautical Engineering  
1314 Kinnear Road  
Columbus, OH 43212

Technical Library  
Naval Surface Weapons Center  
Dahlgren Laboratory  
Dahlgren, VA 22448

Dr. F. Moore  
Naval Surface Weapons Center  
Dahlgren Laboratory  
Dahlgren, VA 22448

Technical Library 2-51131  
LTV Aerospace Corporation  
P. O. Box 5907  
Dallas, TX 75222

Library, United Aircraft Corporation  
Research Laboratories  
Silver Lane  
East Hartford, CT 06108

Technical Library  
AVCO-Everett Research Laboratory  
2385 Revere Beach Parkway  
Everett, MA 02149

Professor G. Moretti  
Polytechnic Institute of New York  
Long Island Center  
Department of Aerospace Engineering  
and Applied Mechanics  
Route 110  
Farmingdale, NY 11735

Professor S. G. Rubin  
Polytechnic Institute of New York  
Long Island Center  
Department of Aerospace Engineering  
and Applied Mechanics  
Route 110  
Farmingdale, NY 11735

Technical Documents Center  
Army Mobility Equipment R&D Center  
Building 315  
Fort Belvoir, VA 22060

Dr. W. R. Briley  
Scientific Research Associates, Inc.  
P. O. Box 498  
Glastonbury, CT 06033

Library (MS 185)  
NASA Langley Research Center  
Langley Station  
Hampton, VA 23665

Dr. S. Nadir  
Northrop Corporation  
Aircraft Division  
3901 West Broadway  
Hawthorne, CA 90250

Professor A. Chapmann  
Chairman, Mechanical Engineering  
Department  
William M. Rice Institute  
Box 1892  
Houston, TX 77001

Dr. F. Lane  
KLD Associates, Inc.  
7 High Street  
Huntington, NY 11743

Technical Library  
Naval Ordnance Station  
Indian Head, MD 20640

Professor D. A. Caughey  
Cornell University  
Sibley School of Mechanical and  
Aerospace Engineering  
Ithaca, NY 14853

Professor E. L. Resler  
Cornell University  
Sibley School of Mechanical and  
Aerospace Engineering  
Ithaca, NY 14853

Professor S. F. Shen  
Cornell University  
Sibley School of Mechanical and  
Aerospace Engineering  
Ithaca, NY 14853

Library  
Midwest Research Institute  
423 Volker Boulevard  
Kansas City, MO 64110

Dr. M. M. Hafez  
Flow Research, Inc.  
P. O. Box 5040  
Kent, WA 98031

Dr. E. M. Murman  
Flow Research, Inc.  
P. O. Box 5040  
Kent, WA 98031

Dr. S. A. Orszag  
Cambridge Hydrodynamics, Inc.  
54 Baskin Road  
Lexington, MA 02173

Professor T. Cebeci  
California State University. Long Beach  
Mechanical Engineering Department  
Long Beach, CA 90840

Mr. J. L. Hess  
Douglas Aircraft Company  
3855 Lakewood Boulevard  
Long Beach, CA 90808

Dr. H. K. Cheng  
University of Southern California,  
University Park  
Department of Aerospace Engineering  
Los Angeles, CA 90007

Professor J. D. Cole  
University of California  
Mechanics and Structures Department  
School of Engineering and Applied  
Science  
Los Angeles, CA 90024

Engineering Library  
University of Southern California  
Box 77929  
Los Angeles, CA 90007

Dr. C. -M. Ho  
University of Southern California,  
University Park  
Department of Aerospace Engineering  
Los Angeles, CA 90007

Dr. T. D. Taylor  
The Aerospace Corporation  
P. O. Box 92957  
Los Angeles, CA 90009

Commanding Officer  
Naval Ordnance Station  
Louisville, KY 40214

Mr. B. H. Little, Jr.  
Lockheed-Georgia Company  
Department 72-74, Zone 369  
Marietta, GA 30061

Dr. C. Cook  
Stanford Research Institute  
Menlo Park, CA 94025

Professor E. R. G. Eckert  
University of Minnesota  
241 Mechanical Engineering Building  
Minneapolis, MN 55455

Library  
Naval Postgraduate School  
Monterey, CA 93940

McGill University  
Supersonic-Gas Dynamics Research  
Laboratory  
Department of Mechanical Engineering  
Montreal 12, Quebec, Canada

Librarian  
Engineering Library, 127-223  
Radio Corporation of America  
Morristown, NJ 07960

Dr. S. S. Stahara  
Nielsen Engineering & Research, Inc.  
510 Clyde Avenue  
Mountain View, CA 94043

Engineering Societies Library  
345 East 47th Street  
New York, NY 10017

Professor A. Jameson  
New York University  
Courant Institute of Mathematical  
Sciences  
251 Mercer Street  
New York, NY 10012



Professor G. Miller  
New York University  
Department of Applied Science  
26-36 Stuyvesant Street  
New York, NY 10003

Office of Naval Research  
New York Area Office  
715 Broadway - 5th Floor  
New York, NY 10003

Dr. A. Vaglio-Laurin  
New York University  
Department of Applied Science  
26-36 Stuyvesant Street  
New York, NY 10003

Professor S. Weinbaum  
Research Foundation of the City  
University of New York on behalf  
of the City College  
1411 Broadway  
New York, NY 10018

Librarian, Aeronautical Library  
National Research Council  
Montreal Road  
Ottawa 7, Canada

Lockheed Missiles and Space Company  
Technical Information Center  
3251 Hanover Street  
Palo Alto, CA 94304

Director  
Office of Naval Research Branch Office  
1030 East Green Street  
Pasadena, CA 91106

California Institute of Technology  
Engineering Division  
Pasadena, CA 91109

Library  
Jet Propulsion Laboratory  
4800 Oak Grove Drive  
Pasadena, CA 91103

Professor H. Liepmann  
California Institute of Technology  
Department of Aeronautics  
Pasadena, CA 91109

Mr. L. I. Chasen, MGR-MSD Lib.  
General Electric Company  
Missile and Space Division  
P. O. Box 8555  
Philadelphia, PA 19101

Mr. P. Dodge  
Airesearch Manufacturing Company  
of Arizona  
Division of Garrett Corporation  
402 South 36th Street  
Phoenix, AZ 85034

Technical Library  
Naval Missile Center  
Point Mugu, CA 93042

Professor S. Bogdonoff  
Princeton University  
Gas Dynamics Laboratory  
Department of Aerospace and  
Mechanical Sciences  
Princeton, NJ 08540

Professor S. I. Cheng  
Princeton University  
Department of Aerospace and  
Mechanical Sciences  
Princeton, NJ 08540

Dr. J. E. Yates  
Aeronautical Research Associates  
of Princeton, Inc.  
50 Washington Road  
Princeton, NJ 08540

Professor J. H. Clarke  
Brown University  
Division of Engineering  
Providence, RI 02912

Professor J. T. C. Liu  
Brown University  
Division of Engineering  
Providence, RI 02912

Professor L. Sirovich  
Brown University  
Division of Applied Mathematics  
Providence, RI 02912

Dr. P. K. Dai (R1/2178)  
TRW Systems Group, Inc.  
One Space Park  
Redondo Beach, CA 90278

Redstone Scientific Information  
Center  
Chief, Document Section  
Army Missile Command  
Redstone Arsenal, AL 35809

U.S. Army Research Office  
P. O. Box 12211  
Research Triangle, NC 27709

Professor M. Lessen  
The University of Rochester  
Department of Mechanical Engineering  
River Campus Station  
Rochester, NY 14627

Editor, Applied Mechanics Review  
Southwest Research Institute  
8500 Culebra Road  
San Antonio, TX 78228

Library and Information Services  
General Dynamics-CONVAIR  
P. O. Box 1128  
San Diego, CA 92112

Dr. R. Magnus  
General Dynamics-CONVAIR  
Kearny Mesa Plant  
P. O. Box 80847  
San Diego, CA 92138

Mr. T. Brundage  
Defense Advanced Research  
Projects Agency  
Research and Development  
Field Unit  
APO 146, Box 271  
San Francisco, CA 96246

Office of Naval Research  
San Francisco Area Office  
760 Market Street - Room 447  
San Francisco, CA 94102

Library  
The Rand Corporation  
1700 Main Street  
Santa Monica, CA 90401

Department Librarian  
University of Washington  
Department of Aeronautics and  
Astronautics  
Seattle, WA 98105

Dr. P. E. Rubbert  
Boeing Commercial Airplane Company  
P. O. Box 3707  
Seattle, WA 98124

Mr. R. Feldhuhn  
Naval Surface Weapons Center  
White Oak Laboratory  
Silver Spring, MD 20910

Dr. G. Heiche  
Naval Surface Weapons Center  
Mathematical Analysis Branch  
Silver Spring, MD 20910

Librarian  
Naval Surface Weapons Center  
White Oak Laboratory  
Silver Spring, MD 20910

Dr. J. M. Solomon  
Naval Surface Weapons Center  
White Oak Laboratory  
Silver Spring, MD 20910

Professor J. H. Ferziger  
Stanford University  
Department of Mechanical Engineering  
Stanford, CA 94305

Professor K. Karamcheti  
Stanford University  
Department of Aeronautics and  
Astronautics  
Stanford, CA 94305

Professor M. van Dyke  
Stanford University  
Department of Aeronautics and  
Astronautics  
Stanford, CA 94305

Engineering Library  
McDonnell Douglas Corporation  
Department 218, Building 101  
P. O. Box 516  
St. Louis, MO 63166

Dr. R. J. Hakkinen  
McDonnell Douglas Corporation  
Department 222  
P. O. Box 516  
St. Louis, MO 63166

Dr. R. P. Heinisch  
Honeywell, Inc.  
Systems and Research Division -  
Aerospace Defense Group  
2345 Walnut Street  
St. Paul, MN 55113

Professor R. G. Stoner  
Arizona State University  
Department of Physics  
Tempe, AZ 85721

Dr. N. Malmuth  
Rockwell International  
Science Center  
1049 Camino Dos Rios  
P. O. Box 1085  
Thousand Oaks, CA 91360

Rockwell International  
Science Center  
1049 Camino Dos Rios  
P. O. Box 1085  
Thousand Oaks, CA 91360

The Library  
University of Toronto  
Institute of Aerospace Studies  
Toronto 5, Canada

Professor W. R. Sears  
University of Arizona  
Aerospace and Mechanical Engineering  
Tucson, AZ 85721

Professor A. R. Seebass  
University of Arizona  
Department of Aerospace and  
Mechanical Engineering  
Tucson, AZ 85721

Dr. S. M. Yen  
University of Illinois  
Coordinated Science Laboratory  
Urbana, IL 61801

Dr. K. T. Yen  
Code 3015  
Naval Air Development Center  
Warminster, PA 18974

Air Force Office of Scientific  
Research (SREM)  
Building 1410, Bolling AFB  
Washington, DC 20332

Chief of Research & Development  
Office of Chief of Staff  
Department of the Army  
Washington, DC 20310

Library of Congress  
Science and Technology Division  
Washington, DC 20540

Director of Research (Code RR)  
National Aeronautics and  
Space Administration  
600 Independence Avenue, SW  
Washington, DC 20546

Library  
National Bureau of Standards  
Washington, DC 20234

National Science Foundation  
Engineering Division  
1800 G Street, NW  
Washington, DC 20550

Mr. W. Koven (AIR 03E)  
Naval Air Systems Command  
Washington, DC 20361

Mr. R. Siewert (AIR 320D)  
Naval Air Systems Command  
Washington, DC 20361

Technical Library Division (AIR 604)  
Naval Air Systems Command  
Washington, DC 20361



Page 8

Code 2627  
Naval Research Laboratory  
Washington, DC 20375

SEA 03512  
Naval Sea Systems Command  
Washington, DC 20362

SEA 09G3  
Naval Sea Systems Command  
Washington, DC 20362

Dr. A. L. Slafkosky  
Scientific Advisor  
Commandant of the Marine Corps  
(Code AX)  
Washington, DC 20380

Director  
Weapons Systems Evaluation Group  
Washington, DC 20305

Dr. P. Baronti  
General Applied Science  
Laboratories, Inc.  
Merrick and Stewart Avenues  
Westbury, NY 11590

Bell Laboratories  
Whippany Road  
Whippany, NJ 07981

Chief of Aerodynamics  
AVCO Corporation  
Missile Systems Division  
201 Lowell Street  
Wilmington, MA 01887

Research Library  
AVCO Corporation  
Missile Systems Division  
201 Lowell Street  
Wilmington, MA 01887

AFAPL (APRC)  
AB  
Wright Patterson, AFB, OH 45433

Dr. Donald J. Harney  
AFFDL/FX  
Wright Patterson AFB, OH 45433